

大腸がん検診実態調査

の

集計成績

1

対象1(重複回答あり)

大腸がん検診全国集計成績

	I 群	II 群	合計
1. 地域検診	135	56	191
2. 職域検診	131	65	196
3. その他	89	33	122
無回答	73	53	126
合計	428	207	635

2 実施方法(重複回答あり)
大腸がん検診全国集計成績

	I 群	II 群	合計
1. 便潜血検査	86	52	138
2. 便潜血検査+問診	92	46	138
3. 直接法	23	13	36
直接の場合(重複回答あり)			
1. 全大腸内視鏡	19	11	30
2. 注腸	1	2	3
3. S字結腸内視鏡	3	1	4
4. S字結腸内視鏡+注腸	0	0	0
5. 大腸CT検査	6	4	10
6. その他	2	0	2
無回答	0	0	0
合計	201	111	312

3 実施方法の内容(評価方法)
大腸がん検診全国集計成績

	I 群	II 群	合計
便潜血検査免疫2日法	162	83	245
便潜血検査免疫1日法	0	1	1
2日法・1日法の場合(判定方法)			
定性	89	52	141
定量	73	32	105
定量の場合(カットオフ値)			
10未満	9	5	14
10-20未満	14	5	19
20-30未満	22	11	33
30-40未満	12	2	14
40以上	16	9	25
その他	0	2	2
無回答	0	0	0
合計	162	86	248

4 実施方法の内容(精検方法・多い順)
大腸がん検診全国集計成績

	1番	2番	3番	4番
全大腸内視鏡	242	3	2	1
S状結腸内視鏡+注腸	0	148	78	22
注腸	4	48	145	51
大腸CT検査(CTコロノグラフィ)	2	49	23	174
合計	248	248	248	248

5 精検受診の勧奨について
大腸がん検診全国集計成績

	I 群	II 群	合計
1. していない	15	13	28
2. している	145	73	218
記載無し	2	0	2
合計	162	86	248

6 精検結果の把握
大腸がん検診全国集計成績

	I 群	II 群	合計
1. していない	15	18	33
2. している	145	68	213
記載無し	2	0	2
合計	162	86	248

7 要精検者管理、精検未受診者への受診勧奨
大腸がん検診全国集計成績

	I 群	II 群	合計
1. していない	44	37	81
2. している	116	49	165
記載無し	2	0	2
合計	162	86	248

8 発見癌患者の追跡管理
大腸がん検診全国集計成績

	I 群	II 群	合計
1. していない	37	55	92
2. している	123	31	154
記載無し	2	0	2
合計	162	86	248

9 手術結果の調査
大腸がん検診全国集計成績

	I 群	II 群	合計
1. していない	55	59	114
2. している	105	27	132
記載無し	2	0	2
合計	162	86	248

10 発見癌患者の予後調査
大腸がん検診全国集計成績

	I 群	II 群	合計
1. していない	142	80	222
2. している	18	6	24
記載無し	2	0	2
合計	162	86	248

11 実施対象別の成績：男女合計
大腸がん検診全国集計成績

件数		地 域	職 域	人間ドック他	総合計
	受診者総数	2,899,118	2,902,795	473,505	6,275,418
	検便法				
	受診者数	2,895,524	2,895,411	468,003	6,258,938
	要精検者数	196,849	148,274	25,049	370,172
	精検受診者数	149,853	56,821	13,634	220,308
	発見大腸癌	5,950	1,448	432	7,830
	直接法				
	受診者数	3,594	7,384	5,502	16,480
	発見大腸癌	4	8	12	24

12 実施対象別の成績：男性
大腸がん検診全国集計成績

	地域	職域	人間ドック他	総合計
件数				
受診者総数	1,159,238	1,852,550	267,352	3,279,140
検便法				
受診者数	1,157,334	1,847,134	263,802	3,268,270
要精検者数	96,888	99,702	14,989	211,579
精検受診者数	71,736	36,930	7,589	116,255
発見大腸癌	3,269	1,035	282	4,586
直接法				
受診者数	1,904	5,416	3,550	10,870
発見大腸癌	2	7	10	19

13 実施対象別の成績：女性
大腸がん検診全国集計成績

件数		地域	職域	人間ドック他	総合計
	受診者総数	1,739,880	1,050,245	206,153	2,996,278
	検便法				
	受診者数	1,738,190	1,048,277	204,201	2,990,668
	要精検者数	99,961	48,572	10,060	158,593
	精検受診者数	78,117	19,891	6,045	104,053
	発見大腸癌	2,681	413	150	3,244
	直接法				
	受診者数	1,690	1,968	1,952	5,610
	発見大腸癌	2	1	2	5

14 初回受診者の成績：男女合計
大腸がん検診全国集計成績

		地 域	職 域	人間ドック他	総合計
件数	受診者総数	398,275	323,073	36,931	758,279
	検便法				
	受診者数	397,750	322,202	36,655	756,607
	要精検者数	30,317	18,272	2,351	50,940
	精検受診者数	21,578	6,737	1,395	29,710
	発見大腸癌	1,694	245	80	2,019
	直接法				
	受診者数	525	871	276	1,672
	発見大腸癌	2	1	2	5

15 初回受診者の成績：男性
大腸がん検診全国集計成績

		地 域	職 域	人間ドック他	総合計
件数	受診者総数	157,471	188,806	15,924	362,201
	検便法				
	受診者数	157,161	188,194	15,727	361,082
	要精検者数	14,878	11,218	1,020	27,116
	精検受診者数	10,341	3,947	538	14,826
	発見大腸癌	957	170	41	1,168
	直接法				
	受診者数	310	612	197	1,119
	発見大腸癌	1	1	2	4

16 初回受診者の成績：女性
大腸がん検診全国集計成績

		地 域	職 域	人間ドック他	総合計
件数	受診者総数	240,804	134,267	21,007	396,078
	検便法				
	受診者数	240,589	134,008	20,928	395,525
	要精検者数	15,439	7,054	1,331	23,824
	精検受診者数	11,237	2,790	857	14,884
	発見大腸癌	737	75	39	851
	直接法				
	受診者数	215	259	79	553
	発見大腸癌	1	0	0	1

地域、職域、ドックその他合計：5才区分：男女合計
大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	5,503,083	36,382	68,658	252,511	645,226	635,403	603,828	610,291	641,210	745,594	486,663	344,841	258,867	120,288	39,089	14,232
	検便法																
A	受診者数	5,488,222	36,350	68,481	252,046	643,849	633,955	602,119	608,043	639,208	743,412	485,492	344,067	258,358	120,271	39,089	13,482
B	要精検者数	322,390	1,811	3,243	11,009	27,995	28,414	28,877	31,968	38,176	49,176	36,192	29,011	27,200	4,636	3,655	1,027
	B/A %	5.87%	4.98%	4.74%	4.37%	4.35%	4.48%	4.80%	5.26%	5.97%	6.61%	7.45%	8.43%	10.53%	3.85%	9.35%	7.62%
C	精検受診者数	197,457	577	1,301	4,525	13,112	13,039	14,240	17,009	22,967	34,630	28,016	23,296	20,516	1,908	2,303	18
	C/B %	61.25%	31.86%	40.12%	41.10%	46.84%	45.89%	49.31%	53.21%	60.16%	70.42%	77.41%	80.30%	75.43%	41.16%	63.01%	1.75%
D	大腸癌	7,099	2	5	42	178	249	392	567	921	1,545	1,223	989	819	11	138	18
	D/A %	0.13%	0.01%	0.01%	0.02%	0.03%	0.04%	0.07%	0.09%	0.14%	0.21%	0.25%	0.29%	0.32%	0.01%	0.35%	0.13%
	非上皮性悪性腫瘍	175	0	2	3	21	26	29	30	36	12	10	3	3	0	0	0
	カルチノイド	81	0	1	7	12	15	6	12	7	10	6	0	5	0	0	0
	腺腫性ポリープ	71,312	36	177	756	2,831	3,603	4,793	6,376	9,217	14,138	11,606	9,032	7,359	279	1,109	0
	非腺腫性ポリープ	15,288	26	74	289	849	951	1,028	1,347	1,905	2,987	2,240	1,926	1,411	100	155	0
	潰瘍性大腸炎	2,327	31	55	192	360	321	259	216	209	270	156	134	84	37	3	0
	クローン病	128	2	4	17	26	25	21	10	6	5	5	5	0	2	0	0
	大腸憩室	14,777	23	58	213	722	844	954	1,185	1,686	2,719	2,246	1,932	1,872	61	262	0
	その他の大腸良性疾患	20,634	71	199	619	1,822	1,574	1,571	1,657	2,018	3,287	2,728	2,412	2,156	209	311	0
	異常なし	52,394	305	622	2,071	5,344	4,616	4,270	4,614	5,623	7,725	6,109	5,209	4,508	1,104	274	0
	不明	8,955	58	78	197	617	564	614	638	842	1,208	1,181	1,152	1,761	37	8	0
	その他	4,287	23	26	119	330	251	303	357	497	724	506	502	538	68	43	0
	直接法																
A	受診者数	14,861	32	177	465	1,377	1,448	1,709	2,248	2,002	2,182	1,171	774	509	17	0	750
B	大腸癌	21	0	0	0	1	3	2	3	3	5	3	1	0	0	0	0
	B/A %	0.141%	0.000%	0.000%	0.000%	0.073%	0.207%	0.117%	0.133%	0.150%	0.229%	0.256%	0.129%	0.000%	0.000%	0.000%	0.000%

地域、職域、ドックその他合計 : 10才区分 : 男女合計
大腸がん検診全国集計成績

		総数	29以下	30～39	40～49	50～59	60～69	70～79	80以上	40未満	70以上	年齢不明
受診者総数		772,335	6,708	69,055	204,220	185,595	173,597	76,840	21,308	15,068	19,940	4
検便法												
A	受診者数	770,716	6,704	68,968	203,765	185,109	173,170	76,729	21,294	15,047	19,926	4
B	要精検者数	47,782	381	3,607	10,170	10,660	11,884	6,042	2,247	803	1,986	2
	B/A %	6.20%	5.68%	5.23%	4.99%	5.76%	6.86%	7.87%	10.55%	5.34%	9.97%	50.00%
C	精検受診者数	22,851	99	1,211	3,594	4,119	6,433	4,293	1,579	166	1,356	1
	C/B %	47.82%	25.98%	33.57%	35.34%	38.64%	54.13%	71.05%	70.27%	20.67%	68.28%	50.00%
D	大腸癌	731	0	12	51	120	233	182	71	0	62	0
	D/A %	0.09%	0.00%	0.02%	0.03%	0.06%	0.13%	0.24%	0.33%	0.00%	0.31%	0.00%
非上皮性悪性腫瘍		52	0	6	3	2	24	10	2	0	5	0
カルチノイド		5	0	0	3	0	2	0	0	0	0	0
腺腫性ポリープ*		7,674	9	190	792	1,304	2,611	1,717	563	19	469	0
非腺腫性ポリープ*		2,146	4	83	318	402	622	389	105	15	208	0
潰瘍性大腸炎		251	3	30	80	55	50	15	5	1	12	0
クローン病		18	0	1	3	12	1	1	0	0	0	0
大腸憩室		1,286	4	33	166	199	377	244	120	3	140	0
その他の大腸良性疾患		2,416	19	185	440	465	579	459	174	11	84	0
異常なし		6,431	51	575	1,347	1,169	1,495	1,023	426	47	297	1
不明		1,320	4	75	304	300	314	175	72	67	9	0
その他		521	5	21	87	91	125	78	41	3	70	0
直接法												
A	受診者数	1,619	4	87	455	486	427	111	14	21	14	0
B	大腸癌	3	0	0	2	0	1	0	0	0	0	0
	B/A %	0.185%	0.000%	0.000%	0.440%	0.000%	0.234%	0.000%	0.000%	0.000%	0.000%	0.000%

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	2,855,905	20,660	41,457	157,231	360,028	354,334	326,207	321,212	316,061	349,807	223,700	159,014	125,757	74,950	17,945	7,542
	検便法																
A	受診者数	2,846,191	20,643	41,352	156,922	359,096	353,340	325,082	319,728	314,750	348,418	222,996	158,597	125,440	74,941	17,945	6,941
B	要精検者数	183,035	858	1,709	6,226	14,721	15,942	16,856	19,651	22,647	28,358	20,233	15,740	15,016	2,578	1,955	545
	B/A %	6.43%	4.16%	4.13%	3.97%	4.10%	4.51%	5.19%	6.15%	7.20%	8.14%	9.07%	9.92%	11.97%	3.44%	10.89%	7.85%
C	精検受診者数	103,862	281	617	2,462	6,238	6,564	7,399	8,992	11,897	18,410	14,948	12,386	11,411	1,007	1,232	18
	C/B %	56.74%	32.75%	36.10%	39.54%	42.37%	41.17%	43.90%	45.76%	52.53%	64.92%	73.88%	78.69%	75.99%	39.06%	63.02%	3.30%
D	大腸癌	4,168	1	1	23	84	135	208	364	550	948	718	578	454	4	82	18
	D/A %	0.15%	0.00%	0.00%	0.01%	0.02%	0.04%	0.06%	0.11%	0.17%	0.27%	0.32%	0.36%	0.36%	0.01%	0.46%	0.26%
	非上皮性悪性腫瘍	33	0	0	0	4	2	6	3	9	4	3	1	1	0	0	0
	カルチノイド	49	0	0	3	7	8	3	8	6	5	5	0	4	0	0	0
	腺腫性ポリープ	44,474	19	113	485	1,705	2,327	3,149	4,223	5,805	8,748	7,061	5,415	4,579	180	665	0
	非腺腫性ポリープ	8,965	15	35	192	497	540	628	776	1,068	1,765	1,305	1,113	876	69	86	0
	潰瘍性大腸炎	1,199	18	31	121	190	176	131	111	90	132	77	62	36	22	2	0
	クローン病	60	0	2	10	12	13	5	6	2	2	4	2	0	2	0	0
	大腸憩室	7,688	12	30	121	377	455	508	637	864	1,386	1,152	990	983	34	139	0
	その他の大腸良性疾患	9,316	32	89	328	756	703	670	647	823	1,403	1,257	1,218	1,168	106	116	0
	異常なし	21,097	151	280	1,014	2,150	1,792	1,668	1,689	1,966	2,951	2,453	2,160	2,176	536	111	0
	不明	4,617	22	20	100	291	285	293	344	484	682	642	582	843	22	7	0
	その他	2,196	11	16	65	165	128	130	184	230	384	271	265	291	32	24	0
	直接法																
A	受診者数	9,714	17	105	309	932	994	1,125	1,484	1,311	1,389	704	417	317	9	0	601
B	大腸癌	16	0	0	0	0	3	1	3	2	4	3	0	0	0	0	0
	B/A %	0.165%	0.00%	0.00%	0.00%	0.00%	0.30%	0.09%	0.20%	0.15%	0.29%	0.43%	0.00%	0.00%	0.00%	0.00%	0.00%

		総数	29以下	30～39	40～49	50～59	60～69	70～79	80以上	40未満	70以上	年齢不明
	受診者総数	423,235	3,401	40,213	117,430	105,002	90,673	36,828	10,599	9,111	9,975	3
	検便法											
A	受診者数	422,079	3,399	40,153	117,101	104,646	90,367	36,755	10,591	9,095	9,969	3
B	要精検者数	28,544	161	1,912	5,844	6,855	7,520	3,437	1,256	448	1,110	1
	B/A %	6.76%	4.74%	4.76%	4.99%	6.55%	8.32%	9.35%	11.86%	4.93%	11.13%	33.33%
C	精検受診者数	12,393	45	616	1,845	2,295	3,522	2,359	886	82	742	1
	C/B %	43.42%	27.95%	32.22%	31.57%	33.48%	46.84%	68.64%	70.54%	18.30%	66.85%	100.00%
D	大腸癌	418	0	3	26	70	148	99	37	0	35	0
	D/A %	0.10%	0.00%	0.01%	0.02%	0.07%	0.16%	0.27%	0.35%	0.00%	0.35%	0.00%
	非上皮性悪性腫瘍	13	0	0	2	1	8	0	0	0	2	0
	カルチノイド	2	0	0	1	0	1	0	0	0	0	0
	腺腫性ポリープ*	4,895	7	123	497	875	1,676	1,058	353	11	295	0
	非腺腫性ポリープ	1,326	1	51	202	265	364	240	61	12	130	0
	潰瘍性大腸炎	166	1	17	56	43	30	11	4	1	3	0
	クローン病	10	0	0	2	8	0	0	0	0	0	0
	大腸憩室	703	2	27	91	116	201	128	62	1	75	0
	その他の大腸良性疾患	1,183	10	89	217	237	269	227	90	5	39	0
	異常なし	2,676	20	269	553	456	585	446	212	13	121	1
	不明	777	3	29	163	188	191	113	46	38	6	0
	その他	224	1	8	35	36	49	37	21	1	36	0
	直接法											
A	受診者数	1,156	2	60	329	356	306	73	8	16	6	0
B	大腸癌	3	0	0	2	0	1	0	0	0	0	0
	B/A %	0.260%	0.000%	0.000%	0.608%	0.000%	0.327%	0.000%	0.000%	0.000%	0.000%	0.000%

地域、職域、ドックその他合計：5才区分：女性
大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	2,647,178	15,722	27,201	95,280	285,198	281,069	277,621	289,079	325,149	395,787	262,963	185,827	133,110	45,338	21,144	6,690
	検便法																
A	受診者数	2,642,031	15,707	27,129	95,124	284,753	280,615	277,037	288,315	324,458	394,994	262,496	185,470	132,918	45,330	21,144	6,541
B	要精検者数	139,355	953	1,534	4,783	13,274	12,472	12,021	12,317	15,529	20,818	15,959	13,271	12,184	2,058	1,700	482
	B/A %	5.27%	6.07%	5.65%	5.03%	4.66%	4.44%	4.34%	4.27%	4.79%	5.27%	6.08%	7.16%	9.17%	4.54%	8.04%	7.37%
C	精検受診者数	93,595	296	684	2,063	6,874	6,475	6,841	8,017	11,070	16,220	13,068	10,910	9,105	901	1,071	0
	C/B %	67.16%	31.06%	44.59%	43.13%	51.79%	51.92%	56.91%	65.09%	71.29%	77.91%	81.88%	82.21%	74.73%	43.78%	63.00%	0.00%
D	大腸癌	2,931	1	4	19	94	114	184	203	371	597	505	411	365	7	56	0
	D/A %	0.11%	0.01%	0.01%	0.02%	0.03%	0.04%	0.07%	0.07%	0.11%	0.15%	0.19%	0.22%	0.27%	0.02%	0.26%	0.00%
	非上皮性悪性腫瘍	142	0	2	3	17	24	23	27	27	8	7	2	2	0	0	0
	カルチノイド	32	0	1	4	5	7	3	4	1	5	1	0	1	0	0	0
	腺腫性ポリープ	26,838	17	64	271	1,126	1,276	1,644	2,153	3,412	5,390	4,545	3,617	2,780	99	444	0
	非腺腫性ポリープ	6,323	11	39	97	352	411	400	571	837	1,222	935	813	535	31	69	0
	潰瘍性大腸炎	1,128	13	24	71	170	145	128	105	119	138	79	72	48	15	1	0
	クローン病	68	2	2	7	14	12	16	4	4	3	1	3	0	0	0	0
	大腸憩室	7,089	11	28	92	345	389	446	548	822	1,333	1,094	942	889	27	123	0
	その他の大腸良性疾患	11,318	39	110	291	1,066	871	901	1,010	1,195	1,884	1,471	1,194	988	103	195	0
	異常なし	31,297	154	342	1,057	3,194	2,824	2,602	2,925	3,657	4,774	3,656	3,049	2,332	568	163	0
	不明	4,338	36	58	97	326	279	321	294	358	526	539	570	918	15	1	0
	その他	2,091	12	10	54	165	123	173	173	267	340	235	237	247	36	19	0
	直接法																
A	受診者数	5,147	15	72	156	445	454	584	764	691	793	467	357	192	8	0	149
B	大腸癌	5	0	0	0	1	0	1	0	1	1	0	1	0	0	0	0
	B/A %	0.097%	0.00%	0.00%	0.00%	0.22%	0.00%	0.17%	0.00%	0.14%	0.13%	0.00%	0.28%	0.00%	0.00%	0.00%	0.00%

地域：5才区分：男女合計
 大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	2,593,715	1,321	5,286	12,514	147,703	135,515	144,115	187,003	329,969	570,341	427,265	325,197	249,537	11,985	36,877	9,087
	検便法																
A	受診者数	2,590,292	1,321	5,251	12,465	147,565	135,421	143,991	186,795	329,514	569,460	426,682	324,708	249,171	11,985	36,877	9,086
B	要精検者数	176,911	70	263	580	7,264	6,557	7,144	9,406	18,564	36,929	31,646	27,446	26,288	546	3,454	754
	B/A %	6.83%	5.30%	5.01%	4.65%	4.92%	4.84%	4.96%	5.04%	5.63%	6.48%	7.42%	8.45%	10.55%	4.56%	9.37%	8.30%
C	精検受診者数	135,441	43	170	394	4,968	4,495	5,059	6,890	14,083	28,783	25,588	22,343	20,033	365	2,209	18
	C/B %	76.56%	61.43%	64.64%	67.93%	68.39%	68.55%	70.81%	73.25%	75.86%	77.94%	80.86%	81.41%	76.21%	66.85%	63.95%	2.39%
D	大腸癌	5,422	0	1	7	85	103	154	241	556	1,249	1,115	951	804	3	135	18
	D/A %	0.21%	0.00%	0.02%	0.06%	0.06%	0.08%	0.11%	0.13%	0.17%	0.22%	0.26%	0.29%	0.32%	0.03%	0.37%	0.20%
	非上皮性悪性腫瘍	18	0	0	0	1	2	1	2	3	2	3	3	3	0	0	0
	カルチノイド	23	0	0	1	1	2	0	2	1	7	4	0	5	0	0	0
	腺腫性ポリープ	50,143	1	20	65	891	1,072	1,493	2,198	5,331	11,620	10,508	8,668	7,145	54	1,077	0
	非腺腫性ポリープ	10,772	3	13	24	331	333	371	571	1,192	2,498	2,044	1,846	1,377	25	144	0
	潰瘍性大腸炎	1,087	1	6	11	113	100	86	80	118	211	146	126	81	5	3	0
	クローン病	25	0	0	1	2	3	1	2	3	3	5	5	0	0	0	0
	大腸憩室	10,459	0	5	13	225	264	319	449	987	2,232	2,043	1,834	1,817	13	258	0
	その他の大腸良性疾患	14,742	6	25	45	831	631	681	880	1,435	2,860	2,559	2,320	2,118	45	306	0
	異常なし	33,345	29	86	207	2,107	1,659	1,574	2,066	3,650	6,519	5,613	4,992	4,422	180	241	0
	不明	6,352	1	8	7	269	253	256	243	455	939	1,071	1,103	1,734	6	7	0
	その他	3,053	2	6	13	112	73	123	157	353	642	478	495	527	34	38	0
	直接法																
A	受診者数	3,423	0	35	49	138	94	124	208	455	881	583	489	366	0	0	1
B	大腸癌	3	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0
	B/A %	0.088%	0.00%	0.00%	0.00%	0.00%	0.00%	0.81%	0.00%	0.00%	0.11%	0.00%	0.20%	0.00%	0.00%	0.00%	

地域：5才区分：女性
 大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	1,566,379	761	3,279	8,018	101,678	91,576	99,444	129,913	216,548	333,860	240,458	177,714	129,173	7,975	20,375	5,607
	検便法																
A	受診者数	1,564,760	761	3,262	7,991	101,603	91,529	99,361	129,793	216,313	333,502	240,187	177,467	129,034	7,975	20,375	5,607
B	要精検者数	90,121	47	186	396	5,108	4,329	4,595	5,751	10,411	17,673	14,611	12,716	11,845	394	1,643	416
	B/A %	5.76%	6.18%	5.70%	4.96%	5.03%	4.73%	4.62%	4.43%	4.81%	5.30%	6.08%	7.17%	9.18%	4.94%	8.06%	7.42%
C	精検受診者数	70,736	29	122	266	3,509	3,051	3,399	4,492	8,329	14,491	12,264	10,534	8,934	268	1,048	0
	C/B %	78.49%	61.70%	65.59%	67.17%	68.70%	70.48%	73.97%	78.11%	80.00%	82.00%	83.94%	82.84%	75.42%	68.02%	63.79%	0.00%
D	大腸癌	2,434	0	1	7	56	61	100	116	263	540	473	399	359	3	56	0
	D/A %	0.16%	0.00%	0.03%	0.09%	0.06%	0.07%	0.10%	0.09%	0.12%	0.16%	0.20%	0.22%	0.28%	0.04%	0.27%	0.00%
	非上皮性悪性腫瘍	11	0	0	0	0	2	1	1	2	1	0	2	2	0	0	0
	カルチノイド	9	0	0	1	1	1	0	0	0	4	1	0	1	0	0	0
	腺腫性ポリープ	21,435	1	12	33	555	609	825	1,146	2,536	4,814	4,241	3,482	2,707	35	439	0
	非腺腫性ポリープ	4,968	3	9	12	184	200	334	630	1,108	882	882	793	527	12	65	0
	潰瘍性大腸炎	662	1	4	7	67	63	61	60	86	117	76	69	47	3	1	0
	クローン病	9	0	0	1	1	1	0	0	1	1	1	3	0	0	0	0
	大腸憩室	5,538	0	2	8	149	160	207	287	617	1,182	1,017	907	868	11	123	0
	その他の大腸良性疾患	8,763	4	20	32	623	456	508	666	973	1,719	1,407	1,145	976	40	194	0
	異常なし	21,917	18	63	149	1,616	1,289	1,234	1,632	2,726	4,225	3,437	2,947	2,294	135	152	0
	不明	3,381	1	7	6	184	161	162	151	270	461	509	553	910	5	1	0
	その他	1,609	1	4	10	73	48	92	99	225	319	220	234	243	24	17	0
	直接法																
A	受診者数	1,619	0	17	27	75	47	83	120	235	358	271	247	139	0	0	0
B	大腸癌	2	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
	B/A %	0.12%	0.00%	0.00%	0.00%	0.00%	0.00%	1.20%	0.00%	0.00%	0.00%	0.00%	0.40%	0.00%	0.00%	0.00%	

職域：5才区分：男女合計
 大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	2,515,651	32,632	56,731	219,497	447,597	448,556	406,835	366,415	259,543	128,322	35,706	7,188	3,244	96,911	1,613	4,861
	検便法																
A	受診者数	2,509,444	32,619	56,638	219,193	446,785	447,638	405,828	365,233	258,789	127,920	35,543	7,124	3,214	96,911	1,613	4,396
B	要精検者数	124,951	1,618	2,610	9,460	18,589	19,591	19,316	19,639	16,655	9,429	2,930	624	351	3,733	133	273
	B/A %	4.98%	4.96%	4.61%	4.32%	4.16%	4.38%	4.76%	5.38%	6.44%	7.37%	8.24%	8.76%	10.92%	3.85%	8.25%	6.21%
C	精検受診者数	49,869	464	910	3,594	7,145	7,423	7,884	8,436	7,004	3,939	1,282	251	109	1,388	40	0
	C/B %	39.91%	28.68%	34.87%	37.99%	38.44%	37.89%	40.82%	42.96%	42.05%	41.78%	43.75%	40.22%	31.05%	37.18%	30.08%	0.00%
D	大腸癌	1,290	2	4	30	76	128	197	272	284	210	63	13	4	7	0	0
	D/A %	0.05%	0.01%	0.01%	0.01%	0.02%	0.03%	0.05%	0.07%	0.11%	0.16%	0.18%	0.18%	0.12%	0.01%	0.00%	0.00%
	非上皮性悪性腫瘍	157	0	2	3	20	24	28	29	34	9	8	0	0	0	0	0
	カルチノイド	48	0	1	6	11	10	4	8	4	3	1	0	0	0	0	0
	腺腫性ポリープ	16,554	30	133	598	1,680	2,206	2,814	3,464	3,052	1,680	553	94	38	201	11	0
	非腺腫性ポリープ	3,712	18	51	229	462	529	567	659	571	381	125	29	14	67	10	0
	潰瘍性大腸炎	1,061	30	41	162	225	191	147	115	72	41	4	3	0	30	0	0
	クローン病	100	2	4	16	22	22	19	8	3	2	0	0	0	2	0	0
	大腸憩室	3,345	16	45	180	446	504	553	609	539	292	93	16	10	41	1	0
	その他の大腸良性疾患	4,632	53	139	478	834	804	765	633	423	258	73	19	4	145	4	0
	異常なし	15,587	243	411	1,625	2,840	2,563	2,290	2,096	1,555	786	263	50	23	830	12	0
	不明	2,246	50	62	166	321	273	333	350	337	215	79	22	7	31	0	0
	その他	1,137	20	17	101	208	169	167	193	130	62	20	5	9	34	2	0
	直接法																
A	受診者数	6,207	13	93	304	812	918	1,007	1,182	754	402	163	64	30	0	0	465
B	大腸癌	6	0	0	0	1	3	0	1	0	0	1	0	0	0	0	0
	B/A %	0.097%	0.00%	0.00%	0.00%	0.12%	0.33%	0.00%	0.08%	0.00%	0.00%	0.61%	0.00%	0.00%	0.00%	0.00%	0.00%

職域：10才区分：男女合計
 大腸がん検診全国集計成績

		総数	29以下	30～39	40～49	50～59	60～69	70～79	80以上	40未満	70以上	年齢不明
受診者総数		387,144	4,672	46,046	136,191	117,076	61,725	6,773	404	12,961	1,296	0
検便法												
A	受診者数	385,967	4,671	45,980	135,812	116,683	61,486	6,708	395	12,942	1,290	0
B	要精検者数	23,323	281	2,587	7,095	7,074	4,782	647	39	691	127	0
	B/A %	6.04%	6.02%	5.63%	5.22%	6.06%	7.78%	9.65%	9.87%	5.34%	9.84%	0.00%
C	精検受診者数	6,952	51	694	2,013	2,211	1,563	234	13	139	34	0
	C/B %	29.81%	18.15%	26.83%	28.37%	31.26%	32.69%	36.17%	33.33%	20.12%	26.77%	0.00%
D	大腸癌	158	0	5	23	63	56	10	0	0	1	0
	D/A %	0.04%	0.00%	0.01%	0.02%	0.05%	0.09%	0.15%	0.00%	0.00%	0.08%	0.00%
非上皮性悪性腫瘍		7	0	1	3	0	3	0	0	0	0	0
カルチノイド		3	0	0	3	0	0	0	0	0	0	0
腺腫性ポリープ*		2,078	5	129	433	709	679	94	2	16	11	0
非腺腫性ポリープ*		634	0	42	182	219	152	23	0	13	3	0
潰瘍性大腸炎		135	2	22	58	36	13	2	0	1	1	0
クローン病		11	0	1	1	9	0	0	0	0	0	0
大腸憩室		356	4	28	87	122	92	14	4	2	3	0
その他の大腸良性疾患		616	5	71	219	204	91	17	0	8	1	0
異常なし		1,883	26	314	679	528	258	33	3	35	7	0
不明		923	4	70	282	273	187	38	3	61	5	0
その他		148	5	11	43	48	32	3	1	3	2	0
直接法												
A	受診者数	1,177	1	66	379	393	239	65	9	19	6	0
B	大腸癌	2	0	0	1	0	1	0	0	0	0	0
	B/A %	0.17%	0.00%	0.00%	0.26%	0.00%	0.42%	0.00%	0.00%	0.00%	0.00%	0.00%

職域：5才区分：男性
大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	1,608,518	18,959	36,139	141,727	285,465	281,520	252,133	232,022	173,766	87,355	23,991	4,621	1,769	64,151	1,037	3,863
	検便法																
A	受診者数	1,603,969	18,954	36,079	141,511	284,870	280,857	251,415	231,181	173,198	87,046	23,878	4,583	1,747	64,151	1,037	3,462
B	要精検者数	84,128	787	1,480	5,598	11,432	12,445	12,882	14,121	12,622	7,341	2,213	464	214	2,232	90	207
	B/A %	5.24%	4.15%	4.10%	3.96%	4.01%	4.43%	5.12%	6.11%	7.29%	8.43%	9.27%	10.12%	12.25%	3.48%	8.68%	5.98%
C	精検受診者数	32,420	236	482	2,102	4,289	4,539	5,055	5,608	5,054	2,991	958	183	71	824	28	0
	C/B %	38.54%	29.99%	32.57%	37.55%	37.52%	36.47%	39.24%	39.71%	40.04%	40.74%	43.29%	39.44%	33.18%	36.92%	31.11%	0.00%
D	大腸癌	929	1	1	19	45	81	131	204	208	175	46	11	3	4	0	0
	D/A %	0.06%	0.01%	0.00%	0.01%	0.02%	0.03%	0.05%	0.09%	0.12%	0.20%	0.19%	0.24%	0.17%	0.01%	0.00%	0.00%
	非上皮性悪性腫瘍	26	0	0	0	3	2	6	3	9	2	1	0	0	0	0	0
	カルチノイド	27	0	0	3	7	5	1	5	3	2	1	0	0	0	0	0
	腺腫性ポリープ	12,682	17	93	405	1,203	1,649	2,146	2,656	2,440	1,368	452	72	26	145	10	0
	非腺腫性ポリープ	2,667	13	27	160	314	356	411	471	427	299	97	24	11	51	6	0
	潰瘍性大腸炎	679	18	27	106	135	118	90	80	49	31	3	3	0	19	0	0
	クローン病	43	0	2	10	10	11	4	4	0	0	0	0	0	2	0	0
	大腸憩室	2,189	8	20	105	272	312	348	400	397	220	63	9	8	26	1	0
	その他の大腸良性疾患	2,765	28	68	271	486	465	454	364	283	181	57	10	2	93	3	0
	異常なし	8,284	124	216	877	1,499	1,278	1,182	1,073	879	496	166	35	11	441	7	0
	不明	1,433	17	16	87	194	166	189	227	267	168	60	16	5	21	0	0
	その他	696	10	12	59	121	96	93	121	92	49	12	3	5	22	1	0
	直接法																
A	受診者数	4,549	5	60	216	595	663	718	841	568	309	113	38	22	0	0	401
B	大腸癌	5	0	0	0	0	3	0	1	0	0	1	0	0	0	0	0
	B/A %	0.110%	0.00%	0.00%	0.00%	0.00%	0.45%	0.00%	0.12%	0.00%	0.00%	0.88%	0.00%	0.00%	0.00%	0.00%	0.00%

職域：10才区分：男性
 大腸がん検診全国集計成績

		総数	29以下	30～39	40～49	50～59	60～69	70～79	80以上	40未満	70以上	年齢不明
受診者総数		244,032	2,386	28,461	85,489	72,835	41,298	4,456	241	8,000	866	0
検便法												
A	受診者数	243,165	2,385	28,412	85,217	72,540	41,114	4,414	236	7,986	861	0
B	要精検者数	15,574	115	1,447	4,413	4,930	3,674	477	26	394	98	0
	B/A %	6.40%	4.82%	5.09%	5.18%	6.80%	8.94%	10.81%	11.02%	4.93%	11.38%	0.00%
C	精検受診者数	4,510	25	394	1,203	1,462	1,146	170	9	73	28	0
	C/B %	28.96%	21.74%	27.23%	27.26%	29.66%	31.19%	35.64%	34.62%	18.53%	28.57%	0.00%
D	大腸癌	106	0	1	14	39	47	4	0	0	1	0
	D/A %	0.04%	0.00%	0.00%	0.02%	0.05%	0.11%	0.09%	0.00%	0.00%	0.12%	0.00%
非上皮性悪性腫瘍		4	0	0	2	0	2	0	0	0	0	0
カルチノイド		1	0	0	1	0	0	0	0	0	0	0
腺腫性ポリープ*		1,543	3	88	301	537	527	68	0	10	9	0
非腺腫性ポリープ		494	0	32	138	169	122	20	0	10	3	0
潰瘍性大腸炎		98	1	13	45	26	9	2	0	1	1	0
クローン病		9	0	0	1	8	0	0	0	0	0	0
大腸憩室		250	2	24	49	86	71	11	3	1	3	0
その他の大腸良性疾患		368	2	40	127	117	65	14	0	2	1	0
異常なし		988	13	162	348	275	154	18	2	11	5	0
不明		571	3	29	154	179	132	30	3	37	4	0
その他		78	1	5	23	26	17	3	1	1	1	0
直接法												
A	受診者数	867	1	49	272	295	184	42	5	14	5	0
B	大腸癌	2	0	0	1	0	1	0	0	0	0	0
	B/A %	0.23%	0.00%	0.00%	0.37%	0.00%	0.54%	0.00%	0.00%	0.00%	0.00%	0.00%

ドックその他合計 : 5才区分 : 男女合計
大腸がん検診全国集計成績

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	393,717	2,429	6,641	20,500	49,926	51,332	52,878	56,873	51,698	46,931	23,692	12,456	6,086	11,392	599	284
	検便法																
A	受診者数	388,486	2,410	6,592	20,388	49,499	50,896	52,300	56,015	50,905	46,032	23,267	12,235	5,973	11,375	599	0
B	要精検者数	20,528	123	370	969	2,142	2,266	2,417	2,923	2,957	2,818	1,616	941	561	357	68	0
	B/A %	5.28%	5.10%	5.61%	4.75%	4.33%	4.45%	4.62%	5.22%	5.81%	6.12%	6.95%	7.69%	9.39%	3.14%	11.35%	0.00%
C	精検受診者数	12,147	70	221	537	999	1,121	1,297	1,683	1,880	1,908	1,146	702	374	155	54	0
	C/B %	59.17%	56.91%	59.73%	55.42%	46.64%	49.47%	53.66%	57.58%	63.58%	67.71%	70.92%	74.60%	66.67%	43.42%	79.41%	0.00%
D	大腸癌	387	0	0	5	17	18	41	54	81	86	45	25	11	1	3	0
	D/A %	0.10%	0.00%	0.00%	0.02%	0.03%	0.04%	0.08%	0.10%	0.16%	0.19%	0.19%	0.20%	0.18%	0.01%	0.50%	0.00%
	非上皮性悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	カルチノイド	10	0	0	0	0	3	2	2	2	0	1	0	0	0	0	0
	腺腫性ポリープ	4,615	5	24	93	260	325	486	714	834	838	545	270	176	24	21	0
	非腺腫性ポリープ	804	5	10	36	56	89	90	117	142	108	71	51	20	8	1	0
	潰瘍性大腸炎	179	0	8	19	22	30	26	21	19	18	6	5	3	2	0	0
	クローン病	3	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0
	大腸憩室	973	7	8	20	51	76	82	127	160	195	110	82	45	7	3	0
	その他の大腸良性疾患	1,260	12	35	96	157	139	125	144	160	169	96	73	34	19	1	0
	異常なし	3,462	33	125	239	397	394	406	452	418	420	233	167	63	94	21	0
	不明	357	7	8	24	27	38	25	45	50	54	31	27	20	0	1	0
	その他	97	1	3	5	10	9	13	7	14	20	8	2	2	0	3	0
	直接法																
A	受診者数	5,231	19	49	112	427	436	578	858	793	899	425	221	113	17	0	284
B	大腸癌	12	0	0	0	0	0	1	2	3	4	2	0	0	0	0	0
	B/A %	0.229%	0.00%	0.00%	0.00%	0.00%	0.00%	0.17%	0.23%	0.38%	0.44%	0.47%	0.00%	0.00%	0.00%	0.00%	0.00%

		総数	29以下	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80以上	40未満	70以上	年齢不明
	受診者総数	220,051	1,141	3,311	11,008	28,538	28,875	29,403	32,100	28,874	25,971	12,902	6,910	3,624	6,789	406	199
	検便法																
A	受診者数	216,690	1,129	3,284	10,937	28,264	28,591	29,037	31,545	28,351	25,414	12,623	6,773	3,556	6,780	406	0
B	要精検者数	12,117	48	152	444	1,133	1,269	1,425	1,875	1,872	1,761	985	546	359	194	54	0
	B/A %	5.59%	4.25%	4.63%	4.06%	4.01%	4.44%	4.91%	5.94%	6.60%	6.93%	7.80%	8.06%	10.10%	2.86%	13.30%	0.00%
C	精検受診者数	6,737	31	87	232	490	581	684	986	1,089	1,127	666	394	241	86	43	0
	C/B %	55.60%	64.58%	57.24%	52.25%	43.25%	45.78%	48.00%	52.59%	58.17%	64.00%	67.61%	72.16%	67.13%	44.33%	79.63%	0.00%
D	大腸癌	251	0	0	4	10	12	23	35	49	64	30	15	6	0	3	0
	D/A %	0.12%	0.00%	0.00%	0.04%	0.04%	0.04%	0.08%	0.11%	0.17%	0.25%	0.24%	0.22%	0.17%	0.00%	0.74%	0.00%
	非上皮性悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	カルチノイド	8	0	0	0	0	2	2	1	2	0	1	0	0	0	0	0
	腺腫性ポリープ	3,084	2	12	48	166	215	335	515	570	574	342	157	115	16	17	0
	非腺腫性ポリープ	494	2	4	20	36	51	55	68	79	76	46	36	15	5	1	0
	潰瘍性大腸炎	95	0	2	11	9	21	16	11	9	7	4	2	2	1	0	0
	クローン病	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	大腸憩室	578	4	7	11	29	39	48	75	97	116	63	54	26	6	3	0
	その他の大腸良性疾患	572	2	16	44	62	63	43	69	78	81	48	33	24	8	1	0
	異常なし	1,385	16	41	79	160	144	146	182	163	161	111	80	37	50	15	0
	不明	213	5	3	12	12	27	10	25	32	36	20	16	14	0	1	0
	その他	56	0	2	3	5	7	6	5	10	12	1	1	2	0	2	0
	直接法																
A	受診者数	3,361	12	27	71	274	284	366	555	523	557	279	137	68	9	0	199
B	大腸癌	10	0	0	0	0	0	1	2	2	3	2	0	0	0	0	0
	B/A %	0.298%	283.33%	125.93%	47.89%	12.41%	11.97%	9.29%	6.13%	6.50%	6.10%	12.19%	24.82%	50.00%	377.78%	0.00%	17.09%

